




IRIS



VAL



## Motorcycle Lubricants



Tradition in Excellence since 1869



### Tradition in Excellence since 1869

Over 140 years of progress has seen Morris Lubricants become one of Europe's largest privately owned lubricants companies, serving the UK and exporting to over 65 countries worldwide. Morris Lubricants remains a company with a sense of history and tradition, with sound high quality products and uncompromising customer service combined with a refreshing approach to future development and innovation. Located in the historic town of Shrewsbury, Shropshire, the Morris plant is a statement of modern efficiency and fits discreetly into its market town setting. Morris Lubricants is a major supplier to multi-franchise motorcycle dealers on a worldwide basis.

## 4-STROKE ROAD & RACE

### RACE 4 TT 10W-40

The ultimate fully synthetic race proven 4-stroke engine oil suitable for use in highly stressed race engines as well as road bikes. The ultimate motorcycle engine oil. ACEA A3; JASO MA; API SF/SG.



### SUPER SPORT 'V' TWIN 10W-50

A top quality fully synthetic engine oil developed to meet the requirements of large bore engines in modern bikes. API SF / SG / SH / SJ; JASO MA.



### SUPER SPORT 4

A semi-synthetic 10W-40 engine oil developed from racing technology, designed for high performance road bikes. ACEA A3; JASO MA; API SF / SG.

### SPORT 4

A part synthetic premium quality, 10W-40 engine oil which offers outstanding performance to many 4-stroke engines. ACEA A3; JASO MA; API SG.


### V TWIN 20W-50

A top quality multigrade oil manufactured from the highest quality solvent refined base oils and a carefully formulated additive package to meet the requirements of high performance motorcycles that need an SAE 20W-50 viscosity engine oil. API SF / SG; ACEA A3; JASO MA.

## 2-STROKE ROAD & RACE

### SUPER SPORT 2I

A fully synthetic high performance oil developed for use in high revving 2-stroke engines fitted with oil injection systems. JASO FC; API TC.



### PLUS 2

A semi-synthetic 2-stroke oil incorporating high performance additives for many on-road and off-road two stroke engines, premix and injector. JASO FC; API TC.


## SCOOTER ENTHUSIAST

### SCOOTER SPORT 2I

Low smoke, fully synthetic lubricant for premix and injector use, ideal for high performance high revving engines. API TC. Approved to JASO M345, (no. 044MOR002 FC).

### SCOOTER 2


High performance, semi-synthetic 2-stroke oil for premix or injector use. Ideal for lower capacity, high revving engines. Offers outstanding protection and all season reliability. Exceeds JASO FC & API TC. Approved to JASO M345, (no. 044MOR001 FC).



### SCOOTER 4

An advanced SAE 10W-40 high performance semi-synthetic engine oil developed specifically to protect high revving 4-stroke scooter engines and gearboxes. API SF / SG & G5; JASO MA.

(App.) = Approved product





## CLASSIC, VINTAGE & VETERAN

### MLR 30 / 40

Race proven castor / synthetic based engine oils for 2 & 4-strokes.



### MLR 50


Race proven castor based engine oil for use in highly stressed speedway bikes, currently used by many riders in the British Elite League. Methanol compatible.

### GOLDEN FILM 30 / 40 / 50

Low detergent oils for classic, vintage and veteran machines.

### GOLDEN FILM AG 90 / 140

Non EP gear oils that meet the requirements of API GL1.



A dedicated Golden Film brochure is available on request.

### EP 80W-90

Extreme pressure hypoid gear oils meeting the requirements of API GL-5 and MiL-2105D.

### SUPERCLEAN ZERO LEAD 2005

Lead replacement additive for lead free 4 star fuels.

## OFF-ROAD COMPETITION



### SPORT ACTION 2

Race developed fully synthetic 2-stroke lubricant designed for use in high performance machines used in all competition arenas, including circuit and off-road racing. Its balanced formulation makes it suitable for use in pre-mix or injector applications. JASO FC, API TC.

### RACE MX4

A fully synthetic 10W-40 oil developed specifically for modern highly stressed race prepared 4-stroke motocross engines and gearboxes. ACEA A3; JASO MA; API SF/SG

### ACTION MX-4

Advanced semi-synthetic SAE 10W-40 engine oil for all off-road, high performance 4-stroke motorcycle engines and gearboxes operating over a wide temperature range. The professionals choice for workshop servicing of 4-stroke engines.

API SF / SG; ACEA A3; JASO MA.



### RACE FOAM FILTER OIL

A super tacky foam filter treatment which effectively stops the ingress of sand, dirt and dust into the engine.

### FOAM FILTER CLEANER

A non-caustic, water washable foam filter cleaner.

## GEAR OILS

### RACE GEAR OIL 75W-90

Fully synthetic gear oil for maximum protection of highly stressed racing gearboxes. Reduces transmission power losses. Equally suitable for use on the road. API GL-5.

### DRIVE LIGHT GEAR OIL

A semi-synthetic light gear oil for use where 75W (gearbox) or 10W-40 viscosity oils are recommended. API GL-4.





## SUSPENSION FLUIDS

### SUSPENSION 5, 10, 15 & 20 WT

High VI fork oils for all road and off-road motorcycles. All grades can be freely mixed for ultimate performance.

### LIQUIMATIC DII

Recommended as a fork oil in certain Beneli, BSA, Cagiva, Ducati, Honda, Kawasaki, Morini, Moto Guzzi, Suzuki and Triumph motorcycles.





## CHAIN & MAINTENANCE SPRAYS

### MLR FULLY SYNTHETIC CHAINLUBE

Fully synthetic formula protects chains against wear and corrosion. Provides a non-fling coating and seals the chain, preventing the ingress of water and other contaminants. Recommended for both standard and 'O' ring chains.

### MD4

The essential general purpose maintenance spray. Penetrates, repels moisture, protects against corrosion, cleans, lubricates and polishes.

### SOLVENT CLEANER

Rapid drying, film free solvent for cleaning electrics, contacts and precision parts etc. It can also be used as a brake cleaner.

### CARB CLEANER

Removes dirt, grime, lacquer and accumulated oily deposits from carburettors, fuel injector systems and automatic chokes.

### PRISE

Anti-seize compound to ease assembly and disassembly of threaded connectors. Ideal for use on manifold studs, cylinder bolts etc.

### PRIMA

Restores the colour and finish to faded plastics and prevents further adhesion of dirt and mud.

### PAVAN

A high power, water washable non-caustic solvent degreaser. Ideal for all heavy-duty applications such as engine cleaning.

## CLEANERS & HYGIENE PRODUCTS



### LYDIAN

A ready to use water washable solvent degreaser suitable for a variety of cleaning operations. Will remove oil, grease and dirt. Not suitable for use on certain plastics and Tarmac.

### CADENCE TFR

A powerful biodegradable hot or cold cleaning agent and traffic film remover for use in pressure washers.

### BARRIER CREAM

A smooth white antiseptic cream for pre-work use.

### ABGEL CITRUS

A beaded heavy duty lemon scented hand cleanser with dispenser.

### MOMENTO

A biodegradable pH balanced hand cleanser incorporating natural solvents derived from citrus fruits.



## GREASES, MAINTENANCE PRODUCTS

### K2EP

A race proven lithium complex grease suitable for use in wheel bearings on high performance motorcycles. Also suitable as a general purpose grease and at high temperatures NLGI 2.

### K42 EP

Multi-purpose, high temperature lithium based universal EP grease for general greasing and wheel bearings applications. NLGI No 2.

### K383 COPPER GREASE

Anti seize copper based assembly grease for application to manifold studs and all other threaded parts to allow trouble free assembly and disassembly.

### BRAKE FLUID DOT 4

A DOT 4 brake fluid suitable for use in all applications where a DOT 3 or DOT 4 brake fluid is required.

### SUPER COOL

A ready to use, pre-mixed engine coolant for anti-freeze protection down to -33°C. BS5117, BS6580 (1992) and ASTM D5216.



ISSUE 4 **MORRIS**  
LUBRICANTS

**www.morrislubricants.co.uk**

Castle Foregate, Shrewsbury, SY1 2EL Tel: +44 (0) 1743 232200 Fax: +44 (0) 1743 353584



Certificate No. EMS 60044

Certificate No. FM 21756

Certificate No. OHS 555083

All the products are reflective of the latest specifications at the time of going to press and are part of a continuous development programme. The company reserves the right to change formulation and specification, without prior notice to meet the latest trends and developments in lubricant and grease technology.

For more detailed information on any product and confirmation of the latest specifications contact our Technical Services Department. Full product data sheets and health and safety information is available on request.